

India - Kanha : Gujarat area 31st Jan - 17th Feb 2010 - daily itinerary is shown at the end.

	Paul N Collin; James Dick; Ken D Shaw	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	LITTLE GREBE <i>Tachybaptus ruficollis</i>		8	4	1		6	2			10	5	30					3
2	BLACK-NECKED GREBE <i>Podiceps nigricollis</i>												25					
3	GREAT CRESTED GREBE <i>Podiceps cristatus</i>									10	1		10	8				
4	LESSER FLAMINGO <i>Phoenicopterus minor</i>						2000						120					
5	GREATER FLAMINGO <i>Phoenicopterus roseus</i>						1000	100	30	400	30	50	2000					200
6	GREAT WHITE PELICAN <i>Pelecanus onocrotalus</i>						4			20	2		150				34	
7	DALMATIAN PELICAN <i>Pelecanus crispus</i>						14	10	2	10	1	4	20	10				
	Pelican species ??						600											
8	LITTLE CORMORANT <i>Phalacrocorax niger</i>	25	6	3	3	10			4		20	20	150	10		10		15
9	INDIAN CORMORANT (Shag) <i>Phalacrocorax fuscicollis</i>				2		1		1	20	30		1000	30	350	30		5
10	GREAT CORMORANT <i>Phalacrocorax carbo</i>								1				300		1			
11	ORIENTAL DARTER <i>Anhinga melanogaster</i>										1		200	1	1	5		
12	LITTLE EGRET <i>Egretta garzetta</i>	50	10		2	30	200	30	100	1	50	60	700	50	10	40	2	50
13	WESTERN REEF EGRET <i>Egretta gularis</i>								20		1	50	500			2		2
14	INTERMEDIATE EGRET <i>Egretta intermedia</i>	2	1	2	1	6	50	20	16	40	20	30	500	10		10	4	25
15	GREAT EGRET <i>Egretta alba</i>	3		1			4	15	8	20	3	15	150					1
16	GREY HERON <i>Ardea cinerea</i>	2				2	2	10	6	4		5	60	20	1	3	1	3
17	PURPLE HERON <i>Ardea purpurea</i>								2				4					1
18	CATTLE EGRET <i>Bubulcus ibis</i>	600	200	50	15	600	1000	250	200	30	500	1000	1500	300	50	250		200
19	INDIAN POND-HERON <i>Ardeola grayii</i>	12	20	10	10	25	50	20	10	5	16	20	120	10	5	30	1	20
20	STRIATED (Little) HERON <i>Butorides striata</i>												1					
21	BLACK-CROWNED NIGHT-HERON <i>Nycticorax nycticorax</i>												80					
22	PAINTED STORK <i>Mycteria leucocephala</i>						3	10	12		8	30	200	60			2	30
23	ASIAN OPENBILL <i>Anastomus oscitans</i>						4					25	10					
24	BLACK STORK <i>Ciconia nigra</i>	1	1															
25	WOOLLY-NECKED STORK <i>Ciconia episcopus</i>						1											
26	BLACK-NECKED STORK <i>Ephippiorhynchus asiaticus</i>												2					
27	LESSER ADJUTANT <i>Leptoptilos javanicus</i>	1		1					1			1						
28	GLOSSY IBIS <i>Plegadis falcinellus</i>							12	1		2		5	2				1
29	BLACK-HEADED IBIS <i>Threskiornis melanocephalus</i>						1	3	25		5		100	40		15		

India - Kanha : Gujarat area 31st Jan - 17th Feb 2010 - daily itinerary is shown at the end.

	Paul N Collin; James Dick; Ken D Shaw	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
30	BLACK (Red-naped) IBIS <i>Pseudibis papillosa</i>		2	1	5		20		10	10	10	30	2	10	15	60	6	12
31	EURASIAN SPOONBILL <i>Platalea leucorodia</i>						60	40	30		10	5	150		1		2	5
32	LESSER WHISTLING-DUCK <i>Dendrocygna javanica</i>	900	1200	1200	1000													
33	GREYLAG GOOSE <i>Anser anser</i>						50	100	40									
34	RUDDY SHELDUCK <i>Tadorna ferruginea</i>						1	2										50
35	COMMON SHELDUCK <i>Tadorna tadorna</i>						6		2									
36	COMB DUCK <i>Sarkidiornis melanotos</i>						3		2									
37	GADWALL <i>Anas strepera</i>						70	200	40	200	150							
38	EURASIAN WIGEON <i>Anas penelope</i>						20	200	6	400	60	10						
39	MALLARD <i>Anas platyrhynchos</i>							2										
40	INDIAN SPOT-BILLED DUCK <i>Anas poecilorhyncha</i>								5		10	25	100	50		40		15
41	NORTHERN SHOVELER <i>Anas clypeata</i>						600	300	15	6	20	5	300	150				
42	NORTHERN PINTAIL <i>Anas acuta</i>		3				400	10	12	20	6		80	10				
43	GARGANEY <i>Anas querquedula</i>							12	10	70								
44	COMMON TEAL <i>Anas crecca</i>		20	4			45	10		500			200	15			1	
45	COMMON POCHARD <i>Aythya ferina</i>						30	3	4	50	2		5	350				
46	FERRUGINOUS DUCK <i>Aythya nyroca</i>							2					14					
47	TUFTED DUCK <i>Aythya fuligula</i>									2	1			30				
48	ORIENTAL HONEY-BUZZARD <i>Pernis ptilorhynchus</i>		2		1					2			1	8	6	4		
49	BLACK-SHOULDERED KITE <i>Elanus caeruleus</i>		4	3	12	6	50	5	20	1	40	50	20	10		5	5	20
50	BLACK KITE <i>Milvus migrans</i>	200	1			8	200	4	2			3	6	35		3		50
51	BRAHMINY KITE <i>Haliastur indus</i>										1		4			2		
52	WHITE-RUMPED VULTURE <i>Gyps bengalensis</i>		16								2							
53	INDIAN (Long-billed) VULTURE <i>Gyps indicus</i>	2	2								15							
54	RED-HEADED VULTURE <i>Aegypius calvus</i>	1	4													1		
55	SHORT-TOED EAGLE <i>Circaetus gallicus</i>	1			1				2		25	40	1					35
56	CRESTED SERPENT-EAGLE <i>Spilornis cheela</i>		5	12	6											1		
57	WESTERN (Eurasian) MARSH HARRIER <i>Circus aeruginosus</i>						2	5	2	20	3	1	20					1
58	PALLID HARRIER <i>Circus macrourus</i>							1	1	25	70	35	6	2				20
59	MONTAGU'S HARRIER <i>Circus pygargus</i>						3	2	2	50	40	20						40
60	SHIKRA <i>Accipiter badius</i>	1	1	1	1		9	3	6	1	1	2	2	2		1		4

India - Kanha : Gujarat area 31st Jan - 17th Feb 2010 - daily itinerary is shown at the end.

	Paul N Collin; James Dick; Ken D Shaw	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
92	GREY PLOVER <i>Pluvialis squatarola</i>												350					
93	GREATER SAND PLOVER <i>Charadrius leschenaulti</i>						8						500					
94	LESSER SAND PLOVER <i>Charadrius mongolus</i>							3					2000					1
95	KENTISH PLOVER <i>Charadrius alexandrinus</i>						3	10					150					30
96	LITTLE RINGED PLOVER <i>Charadrius dubius</i>						5	2				1					6	
97	YELLOW-WATTLED LAPWING <i>Vanellus malabaricus</i>	4	4								6			2	4			
98	RED-WATTLED LAPWING <i>Vanellus indicus</i>	8	20	16	15	20	100	120	150	30	25	100	40	150	16	40	20	40
99	SOCIABLE PLOVER <i>Vanellus gregarius</i>									29								
100	COMMON SNIPE <i>Gallinago gallinago</i>						2											
101	BLACK-TAILED GODWIT <i>Limosa limosa</i>						50	150	10	15	6	5	400	20				5
102	BAR-TAILED GODWIT <i>Limosa lapponica</i>												350					
103	SPOTTED REDSHANK <i>Tringa erythropus</i>						1	8	2									5
104	COMMON REDSHANK <i>Tringa totanus</i>						20	4	10	5	1	25	600	5				100
105	COMMON GREENSHANK <i>Tringa nebularia</i>						10	1	2	1		5	30	8	1	1		3
106	MARSH SANDPIPER <i>Tringa stagnatilis</i>						4	10	10	5	2		120					3
107	GREEN SANDPIPER <i>Tringa ochropus</i>	1	2		1		15	20	20	2	6	10	30	3	1	3	2	5
108	WOOD SANDPIPER <i>Tringa glareola</i>						3		8		5							
109	COMMON SANDPIPER <i>Actitis hypoleucos</i>						15	20	6	1	4	2	20	1			1	5
110	TEREK SANDPIPER <i>Xenus cinereus</i>												400					
111	WHIMBREL <i>Numenius phaeopus</i>												200					
112	EURASIAN CURLEW <i>Numenius arquata</i>						1	2	2		1	1	150					1
113	RUDDY TURNSTONE <i>Arenaria interpres</i>												80					
114	SANDERLING <i>Calidris alba</i>												25					
115	LITTLE STINT <i>Calidris minuta</i>						20	20		20	4		600					20
116	TEMMINCK'S STINT <i>Calidris temminckii</i>						10	70	10			3	20				6	4
117	DUNLIN <i>Calidris alpina</i>												1200					
118	CURLEW SANDPIPER <i>Calidris ferruginea</i>												120					
119	KNOT sp. <i>Calidris canutus</i> ??												100					
120	BROAD-BILLED SANDPIPER <i>Limicola falcinellus</i>												14					
121	RUFF <i>Philomachus pugnax</i>						200	150	20	30	10	10	350	40				30
122	RED-NECKED PHALAROPE <i>Phalaropus lobatus</i>												22					

India - Kanha : Gujarat area 31st Jan - 17th Feb 2010 - daily itinerary is shown at the end.

	Paul N Collin; James Dick; Ken D Shaw	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
123	BLACK-WINGED STILT <i>Himantopus himantopus</i>	40					60	100	140	20	15	100	200	100			30	200
124	PIED AVOCET <i>Recurvirostra avosetta</i>						70	200	30				600					
125	EURASIAN OYSTERCATCHER <i>Haematopus ostralegus</i>												8					
126	EURASIAN THICK-KNEE /Stone-Curlew <i>Burhinus oedicephalus</i> (<i>indicus</i>)	2	2											2			2	1
127	GREAT THICK-KNEE <i>Esacus recurvirostris</i>											1	1					
128	CRAB PLOVER <i>Dromas ardeola</i>												300					
129	INDIAN COURSER <i>Cursorius coromandelicus</i>								2		2							
130	SMALL PRATINCOLE <i>Glareola lactea</i>						4											
131	SLENDER-BILLED GULL <i>Larus genei</i>												40					
132	BROWN-HEADED GULL <i>Larus brunnicephalus</i>								2	1		1	350					
133	GREAT BLACK-HEADED (Pallas's) GULL <i>Larus ichthyæetus</i>							4		4			20					
134	"STEPPE" GULL <i>Larus (cachinnans) barabensis</i>												350					
135	HEUGLIN'S GULL <i>Larus heuglini</i>											20	2					
136	LITTLE TERN <i>Sterna albifrons</i>												4					
137	SAUNDER'S TERN <i>Sterna saundersi</i>												30					
138	GULL-BILLED TERN <i>Gelochelidon nilotica</i>						20	30	15			25	350	14				4
139	RIVER TERN <i>Sterna aurantia</i>						60?				20		8	35	20	4		
140	LESSER CRESTED TERN <i>Sterna benghalensis</i>								1	2			6					
141	CASPIAN TERN <i>Sterna caspia</i>											1	30					
142	WHISKERED TERN <i>Chlidonias hybridus</i>									35	4	4	20	5				
143	WHITE-WINGED BLACK TERN <i>Chlidonias leucopterus</i>									1								
144	CHESTNUT-BELLIED SANDGROUSE <i>Pterocles exustus</i>							170	1	10	150	50					2	
145	PAINTED SANDGROUSE <i>Pterocles indicus</i>										2							
146	SPOTTED SANDGROUSE <i>Pterocles senegallus</i>							6										
147	ROCK PIGEON <i>Columba livia</i>	100	35	35	35	120	500	200	500	200	200	300	200	500	20	500	120	200
148	ORIENTAL TURTLE-DOVE <i>Streptopelia orientalis</i>	12	2	6	50	40	60											
149	EURASIAN COLLARED-DOVE <i>Streptopelia decaocto</i>					12	3000	200	250	100	100	400	200	300	50	150	100	100
150	RED COLLARED-DOVE <i>Streptopelia tranquebarica</i>	15					40											
151	SPOTTED DOVE <i>Streptopelia chinensis</i>	12	12	20	40	30	500								1			
152	LAUGHING DOVE <i>Streptopelia senegalensis</i>	50					750	150	100	200	100	250	100	60	60	40	45	20
153	YELLOW-FOOTED GREEN-PIGEON <i>Treron phoenicopterus</i>	6	40	10	100		20							10	4	20		

India - Kanha : Gujarat area 31st Jan - 17th Feb 2010 - daily itinerary is shown at the end.

	Paul N Collin; James Dick; Ken D Shaw	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
154	ALEXANDRINE PARAKEET <i>Psittacula eupatria</i>	4	6	16	40													
155	ROSE-RINGED PARAKEET <i>Psittacula krameri</i>	20	1	2	8	10	400	70	50		20	60	10	70	40	40	40	10
156	PLUM-HEADED PARAKEET <i>Psittacula cyanocephala</i>	4		2	12									5	10	15		
157	COMMON HAWK-CUCKOO <i>Hierococcyx varius</i>			hd									1					
158	ASIAN KOEL <i>Eudynamis scolopaceus</i>														3	4		
159	SIRKEER MALKOHA <i>Taccocua leschenaultii</i>		1															
160	GREATER COUCAL <i>Centropus sinensis</i>		8	20	4		2					1		2			3	2
161	COMMON BARN-OWL <i>Tyto alba</i>						1											
162	INDIAN (Collared) SCOPS-OWL <i>Otus bakkamoena</i>		2	1														
163	EURASIAN EAGLE-OWL <i>Bubo bubo</i> (Indian B. b. bengalensis)										1							
164	BROWN FISH-OWL <i>Ketupa zeylonensis</i>				3													
165	SPOTTED OWLET <i>Athene brama</i>	2	2	2	2			4	3					1	2			
166	JUNGLE OWLET <i>Glaucidium radiatum</i>	5	7	15	12													
167	MOTTLED WOOD OWL <i>Strix ocellata</i>		1															
168	SHORT-EARED OWL <i>Asio flammeus</i>									2								
169	SYKES'S NIGHTJAR <i>Caprimulgus mahrattensis</i>							1		1								
170	INDIAN NIGHTJAR <i>Caprimulgus asiaticus</i>										1	1	2					
171	HOUSE (Little) SWIFT <i>Apus affinis</i>	1				10				50		5						
172	COMMON SWIFT <i>Apus apus</i> ??																	10?
173	ALPINE SWIFT <i>Tachymartus melba</i>		8															
174	CRESTED TREESWIFT <i>Hemiprocne coronata</i>	3			30									20	30	8		
175	COMMON KINGFISHER <i>Alcedo atthis</i>	2	6	1	1	1		1					24		1	1		
176	WHITE-THROATED KINGFISHER <i>Halcyon smyrnensis</i>	40	10	8	12	20	45	30	30	2	3	16	16	5	4	10		5
177	PIED KINGFISHER <i>Ceryle rudis</i>					1	2	16	20		8	8	25	5		1	2	
178	(LITTLE) GREEN BEE-EATER <i>Merops orientalis</i>	75	1		8	30	600	650	300	300	30	350	40	50	120	50	50	50
179	INDIAN ROLLER <i>Coracias benghalensis</i>	60	10	20	6	45	80	10	20		10	50	2	10	1	20	2	15
180	COMMON (Eurasian) HOPOE <i>Upupa epops</i>					1	10			10	4	10	10	4		3		
181	INDIAN GREY HORNBILL <i>Ocyrceros birostris</i>	6	10	12	6	4	2											
182	MALABAR PIED HORNBILL <i>Anthraccoceros coronatus</i>		2															
183	BROWN-HEADED BARBET <i>Megalaima zeylanica</i>	hd	30	25	10													
184	COPPERSMITH BARBET <i>Megalaima haemacephala</i>	1	1	1	1								1		4	2		

India - Kanha : Gujarat area 31st Jan - 17th Feb 2010 - daily itinerary is shown at the end.

	Paul N Collin; James Dick; Ken D Shaw	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
185	EURASIAN WRYNECK <i>Jynx torquilla</i>													1				
186	BROWN-CAPPED (PYGMY) WOODPECKER <i>Dendrocopos nanus</i>			2										1	1			
187	YELLOW-CROWNED PIED WOODPECKER <i>Dendrocopos mahrattensis</i>										1				1			
188	STREAK-THROATED WOODPECKER <i>Picus xanthopygaeus</i>				1													
189	BLACK-RUMPED FLAMEBACK <i>Dinopium benghalense</i>			3	1											2		
190	GREATER FLAMEBACK <i>Chrysocolaptes lucidus</i>	2	6	3	1													
191	WHITE-NAPED FLAMEBACK <i>Chrysocolaptes festivus</i>	4	4	2														
192	INDIAN BUSHLARK <i>Mirafra erythroptera</i>							2	1	1								
193	ASHY-CROWNED FINCH-LARK <i>Eremopterix griseus</i>						300	3000	200	50	30	100	20	50				40
194	GREATER HOOPOE-LARK <i>Alaemon alaudipes</i>								1									
195	RUFFOUS-TAILED LARK <i>Ammomanes phoenicura</i>						20	40	50	40	20	10	2					55
196	BIMACULATED LARK <i>Melanocorypha bimaculata</i>							55										
197	GREATER SHORT-TOED LARK <i>Calandrella brachydactyla</i>						1000	5000	3000	1000s	4000	2000		100				2000
198	LESSER SHORT-TOED LARK <i>Calandrella rufescens</i>							400										
199	SAND LARK <i>Calandrella raytal</i>												150					
200	CRESTED LARK <i>Galerida cristata</i>						10	100	20	10	15							50
201	SYKES'S LARK <i>Galerida deva</i>										10							3
202	PLAIN SAND-MARTIN <i>Riparia paludicola chinensis</i>				8	20		400			50							
203	DUSKY CRAG-MARTIN <i>Ptyonoprogne concolor</i>					18	2		6	2	10	10	20	10	5	40		20
204	BARN SWALLOW <i>Hirundo rustica</i>	300		2	4	100	400	30	50	100	60	600	200	100		5		60
205	WIRE-TAILED SWALLOW <i>Hirundo smithii</i>	1					100	40	50	2	15	15	20	10		10	5	50
206	RED-RUMPED SWALLOW <i>Hirundo daurica</i>		60				5			200	100	100						
207	STREAK-THROATED SWALLOW <i>Hirundo fluvicola</i>	200									50							
208	FOREST WAGTAIL <i>Dendronanthus indicus</i>														1			
209	YELLOW WAGTAIL <i>Motacilla flava</i>		6				300	400	60	2	12							
210	CITRINE WAGTAIL <i>Motacilla citreola</i>						5	15	1		2		45					
211	GREY WAGTAIL <i>Motacilla cinerea</i>		2	2	1						1			1	1			
212	WHITE WAGTAIL <i>Motacilla alba</i>	2				2	6		2	2	4	3	2					1
213	WHITE-BROWED WAGTAIL <i>Motacilla maderaspatensis</i>														1	3		
214	RICHARD'S PIPIT <i>Anthus richardii</i>						1											
215	PADDYFIELD PIPIT <i>Anthus rufulus</i>		2	20	1	2	20			10	100	60						

India - Kanha : Gujarat area 31st Jan - 17th Feb 2010 - daily itinerary is shown at the end.

	Paul N Collin; James Dick; Ken D Shaw	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
216	LONG-BILLED PIPIT <i>Anthus similis</i>								2	10	40				1		20	
217	TAWNY PIPIT <i>Anthus campestris</i>									2	5	7	20					
218	OLIVE-BACKED PIPIT <i>Anthus hodgsoni</i>			12	8													
219	GREY HYPOCOLIUS <i>Hypocolius ampelinus</i>										9							
220	LARGE CUCKOOSHRIKE <i>Coracina macei</i>		15	12	2										1			
221	ASHY MINIVET <i>Pericrocotus divaricatus</i>				3													
222	SMALL MINIVET <i>Pericrocotus cinnamomeus</i>											20			8	6		
223	WHITE-BELLIED MINIVET <i>Pericrocotus erythropygius</i>										1	20						
224	SCARLET MINIVET <i>Pericrocotus flammeus</i>		1	6	12													
225	RED-VENTED BULBUL <i>Pycnonotus cafer</i>	10	6	12	60	20	100	30	2	60	60	35	50	200	120	200	30	10
226	WHITE-EARED BULBUL <i>Pycnonotus leucotis</i>						60	20		40	12						100	50
227	COMMON IORA <i>Aegithina tiphia</i>			1										1	6	4		
228	MARSHALL'S IORA <i>Aegithina nigrolutea</i>										20							
229	BLUE ROCK-THRUSH <i>Monticola solitarius</i>									1								
230	ORANGE-HEADED GROUND THRUSH <i>Zosterops spiloptera</i>		5		2													
231	TICKELL'S THRUSH <i>Turdus unicolor</i>	1	3	1														
232	ZITTING CISTICOLA <i>Cisticola juncidis</i>			2	20	6	4				15							10
233	RUFOUS-FRONTED PRINIA <i>Prinia buchanani</i>										20							
234	GREY-BREASTED PRINIA <i>Prinia hodgsonii</i>		6															
235	GRACEFUL PRINIA <i>Prinia gracilis</i>										5							
236	JUNGLE PRINIA <i>Prinia sylvatica</i>			2														
237	ASHY PRINIA <i>Prinia socialis</i>		10	4													5	
238	PLAIN PRINIA <i>Prinia inornata</i>	4		6	60					5	15	10		20	30	20	30	
239	BLYTH'S REED-WARBLER <i>Acrocephalus dumetorum</i>																	2
240	CLAMOROUS(Indian)Reed-Warb <i>Acrocephalus stentoreus brunnescens</i>												1hd					
241	SYKES WARBLER <i>Hippolais rama</i>							2										
242	COMMON TAILORBIRD <i>Orthotomus sutorius</i>	15	50	10	20				2		1			20	10	20		
243	(Siberian) CHIFFCHAFF <i>Phylloscopus collybita tristis</i>				1													
244	HUME'S LEAF-WARBLER <i>Phylloscopus humei</i>		1															
245	YELLOW-BROWED WARBLER <i>Phylloscopus inornatus</i>	30	40	20	15													
246	GREENISH/Green WARBLER <i>Phylloscopus trochiloides (nitidus)</i>	1	2	4	4										1			

India - Kanha : Gujarat area 31st Jan - 17th Feb 2010 - daily itinerary is shown at the end.

	Paul N Collin; James Dick; Ken D Shaw	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
247	LESSER WHITETHROAT <i>Sylvia curruca</i>				1		4	20	1		40			1	1		60	
248	DESERT WARBLER <i>Sylvia nana</i>									1								
249	ORPHEAN WARBLER <i>Sylvia hortensis</i>						1	1			1							
250	ASIAN BROWN FLYCATCHER <i>Muscicapa dauurica</i>				1													
251	TAIGA FLYCATCHER <i>Ficedula parva</i>	20	10	10	6								1	2	10	12		
252	RED BREASTED FLYCATCHER <i>Ficedula albicilla</i>		1															
253	ULTRAMARINE FLYCATCHER <i>Ficedula superciliaris</i>			1														
254	VERDITER FLYCATCHER <i>Eumyias thalassinus</i>		3	1														
255	TICKELL'S BLUE FLYCATCHER <i>Cyornis tickelliae</i>		20	6	12									6	15	1		
256	GREY-HEADED CANARY FLYCATCHER <i>Culicicapa ceylonensis</i>			1														
257	ORIENTAL MAGPIE-ROBIN <i>Copsychus saularis</i>		4		6			2	2					5	12	30		1
258	INDIAN ROBIN <i>Saxicoloides fulicatus</i>						50	50	10	10	50	30	20	20	40	100	40	
259	BLACK REDSTART <i>Phoenicurus ochruros</i>	8		1							3			15	80	10	3	
260	STOLICZKA'S BUSHCHAT <i>Saxicola macrorhyncha</i>								1									
261	SIBERIAN STONECHAT <i>Saxicola torquata</i>	1	20	10	4	6	4	12	15	2	160	100	10	1		2	50	50
262	PIED BUSHCHAT <i>Saxicola caprata</i>	4	2		2				2		2							
263	VARIABLE WHEATEAR <i>Oenanthe picata</i>						6	20	20	50	100	20						1
264	DESERT WHEATEAR <i>Oenanthe deserti</i>						40	60	30	60	30	12	30					4
265	ISABELLINE WHEATEAR <i>Oenanthe isabellina</i>						3				20	10	6					2
266	RUFIOUS-TAILED WHEATEAR <i>Oenanthe xanthopyrma</i>									2								
267	WHITE-BROWED FANTAIL <i>Rhipidura aureola</i>			3										2	20	8		
268	ASIAN PARADISE-FLYCATCHER <i>Terpsiphone paradisi</i>			1	1													
269	INDIAN SCIMITAR BABBLER <i>Pomatorhinus horsfieldii</i>		3															
270	JUNGLE BABBLER <i>Turdoides striata</i>	1	60	100	148		10							20	30	60		
271	COMMON BABBLER <i>Turdoides caudata</i>						120	100	30	30	40	50	40	6		20	60	
272	LARGE GREY BABBLER <i>Turdoides malcolmi</i>													8		6		10
273	CHESTNUT-BELLIED NUTHATCH <i>Sitta castanea</i>				2													
274	FIRE-CAPPED TIT <i>Cephalopyrus flammiceps</i>			20	45													
275	GREAT TIT <i>Parus major</i>														10	10		
276	WHITE-NAPED TIT <i>Parus nuchalis</i>											4						
277	PURPLE SUNBIRD <i>Cinnyris asiaticus</i>			20	12		300	100	20	10	6	12	20	50	60	100	35	20

India - Kanha : Gujarat area 31st Jan - 17th Feb 2010 - daily itinerary is shown at the end.

	Paul N Collin; James Dick; Ken D Shaw	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
26	37 FIVE-STRIPED PALM SQUIRREL <i>Funambulus pennantii</i>		1	2	2		10	5	2	2	2		30	20	20	20	4	2
27	38 Large FRUIT BAT (Flying Fox) species			8											200			
28	Short nosed Bat						1											
	REPTILES AND AMPHIBIANS																	
1	HARDWICKE'S SPINY-TAILED LIZARD <i>Uromastyx hardwickii</i>										200							
2	MUGGER CROCODILE <i>Crocodylus paluster</i>														2			
3	INDIAN SOFTSHELL TURTLE <i>Aspideretess gangeticus</i>							10										

- 31.01.2010 Mumbai-Nagpur (flight) 5hr drive south to Kanha tiger Reserve. PM safari
- 01.02.2010 Kanha tiger Reserve am safari and pm safari
- 02.02.2010 Kanha tiger Reserve am safari and pm safari
- 03.02.2010 Kanha tiger Reserve am safari and pm safari
- 04.02.2010 Kanha Kipling Camp bird around camp. Pm drive to Nagpur and flight to Mumbai
- 05.02.2010 Early morning flight Mumbai-Ahmedabad and drive to Little Rann, staying at Rann Riders, pm bird local wetland
- 06.02.2010 Little Rann local safaris -search for MacQueen's bustard and wild ass
- 07.02.2010 Little Rann local safari and pm head south to Bhuj, to stay at CEDO
- 08.02.2010 Explore area around CEDO, grey hypocolius roost etc.
- 09.02.2010 From CEDO explore Naliya grasslands both am and pm
- 10.02.2010 Visit Naliya for early am then head to Jamnagar and Hotel President
- 11.02.2010 Narara coastal wader roost. Pm late in afternoon visit Khajidiya wetland
- 12.02.2010 Drive to Gir for lunch and pm safari
- 13.02.2010 Gir two safaris
- 14.02.2010 Morning safari and then drive to Velavadar area
- 15.02.2010 All day at Velavadar grassland
- 16.02.2010 Slow drive north to Ahmedabad to arrive mid afternoon for flight to Mumbai and on to London.